

Feel the elegance and style
with.....

Left Side



Right Side



Keetronics has now introduced the unique Touch sense operated switchboards specially for the controls of lights and fans from the Bedside with a “RF Remote control”.

PRODUCT FEATURES :-

- Fan and light dimming by a single touch.
- Illuminated iconic representation & Auto switch wake up with proximity sensing form easy identification in the day and night time.
- Dual colour indication on the switch, easy to identify the device ON or OFF condition.
- Auto Dimming of the backlight illumination for a cool display of the switchboard in the light & dark.



- Intelligent switches with programmable memory options for volatile and non volatile memories.
- Sleek modular backend.
- Easy cleaning and Maintenance.
- Easy installation..no separate wiring required.
Only light load connections to one side panel.
Interfacing of both the panels is wireless.
- Two way interface.



- No mechanical wear & tear as compared to normal switches.
- Electrical direct controls using relays.
- A wide range of Selection from our product basket
- Shock proof switching .
- Competitive and cost effective



- Input Voltage – 160 to 270VAC 50 Hz
- Protections – Input over voltage cut-off, Short circuit, Thermal & Overload Shutdown.
- Working Temp. – 0 to 50 Deg. C.
- Operating Humidity – 20% to 85% RH non-condensing.
- Input Line Filter – Provided.
- Input – Output Isolation – 1.5KV AC.
- Input & Output Termination – 5.08mm PWT connectors

- Rated Load: Tungsten and Halogen light 500W
- Capacitive Load, LED and CFL 100 W
- Inductive Load : Fan and Motor 65 W
- Power Consumption in standby mode: 0.3 W
- Service life: 50,000 operations (for Relay)

Note :- Product technical specifications may vary with the models.